


Appl. Serial No.: 09/831,506
 Attorney Docket No.: SCH-1806
 Reply Dated July 23, 2003
 Reply to Office Action of December 30, 2002

Amendments to the Specification:


Please replace the paragraph beginning on page 2, line 7, to page 5, line 2, with the amended paragraph below.

--It has now been found that compounds of general formula I




in which

A	stands for the group =NR ² ,
W	stands for oxygen, sulfur, two hydrogen atoms or the group =NR ⁸ ,
Z	stands for the group =NR ¹⁰ or =N-, -N(R ¹⁰)-(CH ₂) _q -, branched or unbranched C ₁₋₆ alkyl or the group



or A, Z and R¹ together form the group



m, n and o

stand for 0-3,

q

stands for 1-6,

R_a, R_b, R_c, R_d, R_e, R_f

independently of one another, stand for hydrogen, C₁₋₄ alkyl or the group =NR¹⁰, and/or R_a and/or R_b can form a bond with R_c and/or R_d or R_c can form a bond with R_e and/or R_f or up to two of radicals R_a-R_f ~~can close form~~ can close form a bridge ~~with up to~~ of no more than 3 C-atoms ~~each to form and said bridge is connected to~~ R¹ or R²,

X

stands for the group =NR⁹ or =N-,

Y

stands for the group -(CH₂)_p,



p

stands for 1-4,

R¹

stands for unsubstituted or, optionally, one or more times with halogen, C₁₋₆ alkyl, one or more times with halogen substituted C₁₋₆ alkyl or C₁₋₆ alkoxy substituted aryl or heteroaryl, with the exception of compounds in which aryl is bonded directly to the =NR² group in the

	meaning of A,
R ²	stands for hydrogen or C ₁₋₆ alkyl or, <u>with R_a-R_f from Z,</u> <u>or to R¹,</u> forms a bridge with up to 3 ring members with R_a-R_f from Z or to form R_z,
R ³	stands for monocyclic or bicyclic aryl or heteroaryl that is unsubstituted or optionally substituted in one or more places with halogen, C ₁₋₆ alkyl, C ₁₋₆ alkoxy or hydroxy,
R ⁴ , R ⁵ , R ⁶ , and R ⁷ ,	independently of one another, stand for hydrogen, halogen, or C ₁₋₆ alkoxy, C ₁₋₆ alkyl or C ₁₋₆ carboxylalkyl that is unsubstituted or optionally substituted in one or more places with halogen, or R ⁵ and R ⁶ together form the group



R ⁸ , R ⁹ , and R ¹⁰ ,	independently of one another, stand for hydrogen or C ₁₋₆ alkyl, as well as their isomers and salts, stop a tyrosine phosphorylation or persistent angiogenesis and thus prevent the growth and propagation of tumors.--
---	---

Please replace the paragraph on page 6, lines 6-8, with the amended paragraph below.

--If up to two of radicals R_a-R_f form a bridge with up to 3 C atoms to R¹ of no more
than 3C atoms, and said bridge is connected to R¹, Z together with R¹ is a benzo- or
hetaryl-condensed (Ar) cycloalkyl.--

Appl. Serial No.: 09/831,506
Attorney Docket No.: SCH-1806
Reply Dated July 23, 2003
Reply to Office Action of December 30, 2002


Please replace the paragraph on page 7, lines 1-3, with the amended paragraph below.

--If one of radicals R_a - R_f ~~closes a bridge to form R^2~~ forms a bridge connected to R^2 , a nitrogen heterocycle that can be separated from R^1 by a group is formed.--

Please replace the section beginning on page 10, line 9, to page 12, line 6, with the amended section below.

-- R^1	stands for phenyl, pyridyl, 5-chloro-2,3-dihydroindenyl, 2,3-dihydroindenyl, thienyl, 6-fluoro-1H-indol-3-yl, naphthyl, 1,2,3,4-tetrahydronaphthyl, benzo-1,2,5-oxadiazole, 6,7-dimethoxy-1,2,3,4-tetrahydro-2-naphthyl or for phenyl or pyridyl that is substituted in one or more places with C_1 - C_4 alkyl, C_1 - C_4 alkoxy, hydroxy, halogen or trifluoromethyl, or for the group
----------	--

Appl. Serial No.: 09/831,506
 Attorney Docket No.: SCH-1806
 Reply Dated July 23, 2003
 Reply to Office Action of December 30, 2002



whereby phenyl, substituted phenyl or naphthyl is not

~~right in~~ directly bonded to the =NR² group in the
meaning of A,


R²

stands for hydrogen or C₁₋₆ alkyl or, with R_a-R_f from Z,
or to R¹, forms a bridge with up to 3 ring members ~~with~~
~~R_a-R_f from Z or to form R_g, --~~


Please replace the section beginning on page 14, line 8, to page 15, line 3, with the
amended section below.

--R1

stands for phenyl, pyridyl, 5-chloro-2,3-dihydroindenyl,
2,3-dihydroindenyl, thienyl, 6-fluoro-1H-indol-3-yl,
naphthyl, 1,2,3,4-tetrahydronaphthyl, benzo-1,2,5-
oxadiazole, 6,7-dimethoxy-1,2,3,4-tetrahydro-2-
naphthyl, or for phenyl or pyridyl that is substituted in
one or more places with C₁-C₄ alkyl, C₁-C₄ alkoxy,
hydroxy, halogen, trifluoromethyl, or for the group



Appl. Serial No.: 09/831,506
 Attorney Docket No.: SCH-1806
 Reply Dated July 23, 2003
 Reply to Office Action of December 30, 2002



whereby phenyl, or substituted phenyl or naphthyl is not ~~right in~~ directly bonded to the =NR² group in the meaning of A,--